## **DISCUSSION OF THE AMENDMENT**

Claims 1-39 are active in the present application. Previously presented Claims 1-35 are amended herein for clarity and/or for matters of form. Claims 36-39 are new claims. Support for new Claim 36 is found in the original claims and in the last full paragraph on page 15. Support for new Claim 38 is found in the examples. support for new Claim 39 is found in the second to the last full paragraph on page 15.

No new matter is added.

## **REMARKS**

Applicants thank the Examiner Michele Jacobson and the Examiner's supervisor Carol Chaney for the helpful and courteous discussion of May 28, 2008. During the discussion Applicants' U.S. representative pointed out that the specification as originally filed included evidence demonstrating that the tubular film of the present claims is superior to tubular films which fail to include a polyolefin layer as an inner layer.

The Amendment filed in the present case on May 12, 2008 included arguments that the original specification included comparative and inventive examples showing the superiority of the presently claimed invention. Applicants discussed the data of the original specification on pages 10 and 11 of the May 12 Amendment. The Amendment pointed out that the examples of the present specification provide a side-by-side comparison of the film of the presently claimed invention with the film of the cited art (i.e., <u>Grund</u>- US 5,612,104). On page 11, paragraph No. 3 of the July 7 Office Action, the Office stated:

Applicants have asserted that the patentability of this invention hinges upon its superior resistance to puncture by bony meat products, but no evidence has been presented comparing the resistance to puncture of the instant invention to the invention of Grund.

Applicants submit that the Office's assertion in paragraph No. 3 on page 11 of the July 7 Office Action is not correct. Applicants in fact provided a side-by-side comparison of the film of Grund, e.g., a five-layer film having polyamide inside and outside layers, with the film of the present claims. This comparison includes inventive Example 2 on pages 12-13 of the specification and Comparative Example 1 on pages 13-14 of the specification. The inventive example, i.e., Example 2, is a five-layer film including an outer layer of polyamide, an intermediate layer of a modified polyethylene, a core layer of a polyethylene, an intermediate layer of a modified polyethylene, and an inner layer of a modified polyethylene. Comparative Example 1 has the identical outer, core and intermediate layers but replaces the

11

inner layer with a polyamide layer. Comparative Example 1 on pages 11 and 12 of the specification has the same layer structure of <u>Grund</u>; namely, as pointed out by the Office, "Grund teaches a five-layer film comprising a 1<sup>st</sup> and 5<sup>th</sup> layer of polyamide, a third core layer of polyolefin and a 2<sup>nd</sup> and a 4<sup>th</sup> adhesive layer between the polyolefin core layer and the polyamide layers" (see page 3, paragraph No. 5 first sentence of the July 7 Office Action).

Inventive Example 2 of the present specification is shown to have a damaging energy of 720 mJ and a relative damaging energy of 10.3 J/mm (see page 11 of the specification). In contrast, Comparative Example 1 which has the layer structure asserted by the Office to be disclosed by Grund, is shown to have a damaging energy of 630 mJ and a relative damaging energy of 9.0 J/mm (see page 12 of the specification). Applicants have thus shown that the tubular film of the presently claimed invention is significantly superior to the Grund tubular film. As shown by Applicants, there is a substantial difference between a tubular film having an inner polyolefin layer in comparison to a tubular film having an inner polyamide layer.

Applicants submit herewith a Declaration of Dr. Hartmu Grund. According to Dr. Grund, those of skill in the art would not have expected that significantly improved damaging energy can be obtained by replacing a polyamide layer with a polyolefin layer in the manner recited in the present claims. To the contrary, those of ordinary skill in the art would have expected exactly the opposite; namely, that the inclusion of a polyamide film would lead to improve damaging energy as shown by the stress-strain curves for Nylon 6 and an LDPE polyolefin film.

Applicants have shown that replacing an inner polyamide layer with a polyolefin layer provides a packaging film having substantially improved relative damaging energy, and is thus suitable for resisting damage from penetration due to the bones of bone-in meat products packaged with the films.

Applicants further demonstrated a nexus between a long-felt need in the packaging art and the superior properties of the presently claimed invention. Applicants' submission of factual evidence refutes the Office's assertion of obviousness and thus the rejection should be withdrawn.

Applicants submit that the evidence of record is supportive of the non-obviousness of the presently claimed invention. Applicants respectfully request withdrawal of the rejection.

The Declaration under 37 C.F.R. § 1.132 further provides evidence that at the time the present application was filed, there existed a long-felt and unsatisfied need for a packaging film for bone-in meat products. The Declaration provides factual evidence in support of the Declarant's opinion.

Applicants further traverse the Office Action for the reasons below.

In paragraph No. 3 of the July 7 Office Action the Office asserts that the resistance to puncture by bony meat products is not reflected in the claims of the present application.

There is no requirement under the patent laws or patent rules of the United States that unexpected results probative of the patentability of an invention must be recited in the claims. To the contrary, Applicants need only show that the claimed invention provides a non-obvious or unexpected result. As demonstrated by the data of the original specification and the Declaration of Dr. Grund, Applicants have met their burden.

Irrespective of the above, Applicants draw the Office's attention to new independent Claim 36 which recites the superior damaging energy achievable with the claimed film (i.e., a minimum damaging energy of 10 J/mm).

In paragraph No. 2 on page 10 of the July 7 Office Action the Office appears to assert that the presently claimed invention is obvious because the cited art suggests including a certain layer to obtain improved seal strength. *Arguendo*, even if the Office is correct in this regard, the cited art nowhere suggests or discloses that superior damaging energy may be

obtained from a tubular film having the layer structure recited in the present claims. As discussed above, there is no disclosure or suggestion in the cited art that improved damaging energy may be obtained in a tubular film having the layer structure recited in the present claims.

Applicants have provided objective evidence in support of patentability and in rebuttal to the Office's assertion of obviousness. The rejection should therefore be withdrawn. For the reasons discussed above in detail, Applicants request withdrawal of the rejection and the allowance of all now-pending claims.

The Office relies on <u>Vroomans</u> (U.S. 5,021,510) as evidence that those of ordinary skill in the art would know that polyolefin layers are conventionally known for their heat sealing properties. However, <u>Vroomans</u> does not relate the property of polyolefin materials to films. Instead, <u>Vroomans</u> includes disclosure related to polyolefin parts having substantial thickness. For example, in the example of <u>Vroomans</u> (see Table 7), a series of testing standards is identified (i.e., ISO 180, ASTM-D-790 and ISOR 527-1). The ISO standard testing procedure calls for a specimen having a thickness of 4 mm. The ASTM testing protocol has a mounting system (a three-point loading system) that cannot be used to test thin films such as those films used in the tubular film of the present claims. Likewise, the ISOR 527 standard describes tests carried out on specimens that have a thickness of several millimeter. Thus, <u>Vroomans</u> discloses the use of polyolefin materials in applications in which seal strength is of no importance. Applicants thus submit that the Office's reliance on <u>Vroomans</u> is misplaced because those of ordinary skill in the art would not turn to <u>Vroomans</u> as disclosure that it would be obvious to include a polyolefin film in a tubular packaging film that is subject to heat sealing.

Applicants' arguments of the May 12 Amendment support the patentability of the other claims not explicitly mentioned over the other cited references.

Application No. 10/518,542 Reply to Office Action of July 7, 2008

Applicants respectfully request allowance of the claims in view of the comments

above.

Customer Number 22850

Tel: (703) 413-3000 Fax: (703) 413 -2220 (OSMMN 08/07) Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C. Norman F. Oblon

Stefan U. Koschmieder, Ph.D.

Attorney of Record Registration No. 50,238